



**NEXT GENERATION
INTRODUCES
THE ALPHA**

LEADS THE PACK IN POWER AND PERFORMANCE

*** DIRECT DRIVE - PISTON MOTOR ***



INDUSTRY LEADING WARRANTY ON ALL BRUSHWOLF MODELS

ALPHA

The Alpha comes in two models, HD for standard flow skid steers with auxiliary hydraulic flows rated at 23-32 GPM and XP for high flow skid steers rated at 33-45 GPM. This workhorse is designed for industrial and commercial applications, you can rely on the Alpha to consistently tackle heavy brush and occasional trees up to 10" in diameter. The Alpha has industry leading features that make brush clearing a breeze. The hydraulic piston motor provides quicker recovery time with less bogging down when accelerating through thick brush. It also runs cooler and has no cavitation at shutdown, protecting your investment. The massive bearing housing has a 3.25" shaft diameter and patented locking retention system to provide maximum reliability in the toughest cutting situations. The tried and true blade carrier system provides the performance and inertia to tackle the most demanding jobs. The open front and "V-Notch" design allows for increased operator precision when cutting trees and saplings. A deflector plate has been added to control discharged material from the front of the deck, which provides improved protection for both people and nearby structures. A vented hood shields the drive train and hydraulic connections from impacts and debris. Laminated abrasion resistant AR 400 skid pads provide extended life to the ground engaging skid rails. The clean deck design allows material to glide off during operation preventing unwanted buildup of debris. Hydraulic hoses are now guarded with heavy duty spiral hose wrap to stave off entanglements of branches and keep you moving. You also have the option to run hoses from either side of the Alpha depending on your operating machine. Dust caps now come standard on all quick couplers to ensure longer motor life by decreasing possible line contamination – just more ways to say "we've got your back." **3 year warranty on the structural steel and 18 months on the hydraulic motor.**

SPECIFICATIONS

Operating Equipment: Skid Steer Loader

Max Cutting Capacity: 10"

Cutting Width: 72"

Auxiliary Hydraulic Flow XP: 33-45 GPM

Auxiliary Hydraulic Flow STD: 23-32 GPM

Weight: 2,318 lbs

Overall Length: 82"

Overall Width: 75.250"

Deck Thickness: .250"

Blades: (3) .625" x 5.000" (High Strength) - Standard

Blade Carrier Type: (1) 1.000" Disc - Standard

Blade Rotation: Counter Clockwise

Motor Protection: Pressure Reliefs, Case Drain


Operating PSI Cont./Int.: 3000/4100

Optional Blades: (4) 0.625" x 5.188" (High Strength, Flat)

Optional Blade Carrier Type: (2) 0.625" High Strength Discs

Hydraulic Hose with Protective Wrap: Standard 114"

(Custom lengths available upon request)



Hose Routing Option



Improved Blade Access



Skid Rail



Vented Hood



Replaceable Skid Pads AR400



Drop Blades - Standard Carrier



Flat Blade - Optional Carrier



Discharge Deflector Plate

BLADE CARRIER OPTIONS

The Alpha XP and HD come standard with a three (3) blade carrier assembly, and provides excellent mulching capabilities. The 3 blade carrier weighs in at 600 lbs. The optional four (4) flat blade assembly is a more robust system with reversible cutting edge blades that are three times the strength of mild steel. The flat blade carrier weight for this bad boy is over 850 lbs. Total weight of the Alpha with the optional blade carrier is 2,568 lbs. With either system, you will cut trees up to 10" in diameter. Experience the reliability and long-lasting durability of the Alpha, ready for extreme duty.

All models are designed, fabricated, powder coated, assembled and tested in Crosslake, Minnesota. Each model comes standard with hoses, couplers and dust caps to protect the motor. Experience the power, performance and reliability from Brush Wolf products. Designed to exceed your expectations.



Cross-Tech Manufacturing

Cross-Tech Manufacturing is a worldwide leader in the manufacturing of hydraulic rotary brush cutters under the name Brush Wolf. Brush Wolf is manufactured to withstand rough terrain and perform in some of the most inhospitable environments. Our industry-leading high standards in construction, reliability, and safety make us the leader of the pack. Brush Wolf rotary brush cutters are designed to fit all skid-steers, mini-utility loaders, tractors, backhoe loaders, and excavators. With a maximum cutting capacity of up to 10" and over 50 models to choose from, Brush Wolf offers you a rotary brush cutter for any tough job. The Brush Wolf rotary cutter clears land in commercial tree plantations, agricultural or large property applications. Eliminate overgrowth on your land, pipelines, power lines, right-of-ways and roadway easements.

At Cross-Tech Manufacturing products are designed for the safest operation possible. Our Engineering and Manufacturing Team designs and constructs each Brush Wolf to be as safe as it is rugged, and is backed by our exclusive warranty. Cross-Tech adheres to the Quality Management System in accordance with ISO 9001:2008. The ISO scope includes the design and development, manufacturing and delivery of attachments for skid steer, mini skid steers, site prep tractors, and full to mid-size excavators for the construction, agriculture, forestry and related industries.



Toll Free: 877.390.9857
33877 Gendreau Road
Crosslake, MN 56442
sales@brushwolf.com
www.brushwolf.com

